



## Formulary

### Confetti Variable Promotion

#### Product Description: ClearSyn Lipgloss

Phase	Trade Name	INCI Name	Supplier	Formula #	Formula #	Formula #
				205-90A	205-90B	
A	ClearSyn 300	Hydrogenated Polydecene	Sandream Impact	47.86	47.86	
	ClearSyn 150	Hydrogenated Polydecene	Sandream Impact	19.42	19.42	
	Octyldodecyl Oliviate	Octyldodecyl Oleate	Sandream Impact	7.35	7.35	
	Jarcol I20CG	Octyldodecanol	Jarchem	4.91	4.91	
	Microcrystalline Wax SP-16W-P	Microcrystalline Wax	Strahl&Pitsch	2.13	2.13	
	Paraffin Wax HC	Paraffin Wax	Multiceras	2.00	1.88	
	Vitamin E	Vitamin E	Sandream Impact	1.22	1.22	
B	Propyl Paraben	Propyl Paraben	Sandream Impact	0.11	0.11	
C	Confetti Variable Dark Blue	Polybutylene Terephthalate, Acrylates Copolymer, Synthetic Fluorophlogopite, Ethylene/VA Copolymer, Blue 1, Silica	Sandream Impact	12.50		
	Confetti Variable Coral	Polybutylene Terephthalate, Acrylates Copolymer, Synthetic Fluorophlogopite, Ethylene/VA Copolymer, Iron Oxides [CI 77491], Silica	Sandream Impact		15.00	
	Majestic Dragon Fruit	Mica, Red 27	Sandream Impact	2.50		
<b>TOTAL PERCENT</b>				100.00	100.00	100.00

**Procedure:** Weigh all of phase A into glass beaker and heat to 85°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add phase B and slowly mix until dissolved and uniform. Add Phase C to A & B, propeller mix until completely dispersed and smooth consistency, maintaining 85°C. Add phase D to A, B and C. Lower temperature to 70 °C and slowly mix until uniform. Stir and pour into desired pots or vials.