

**Summer Brights Lipstick**  
**Full Coverage Creamy Lipstick**

Phase	Trade Name	INCI Name	Supplier	Formula #	Formula #	Formula #	Formula #	Formula #	Formula #
				202-10B	202-48A	202-48B	202-48C	203-91A	203-91B
A	Jarcol I-20CG	Octyldodecanol	Jarchem	13.00	13.00	13.00	13.00	13.00	13.00
A	Jeeslic PTMF	Phenyltrimethicone	Jeen	12.90	12.90	12.90	12.90	12.90	12.90
A	Octyldodecyl Oliviate	Octyldodecyl Oleate	<b>Sandream</b>	10.00	10.00	10.00	10.00	10.00	10.00
A	Shea Butter	Butyrospermum parkii (shea butter) fruit	Jeen	9.50	9.50	9.50	9.50	9.50	9.50
A	Cosmol 168 AR	Dipentaerythryl Hexahydroxystearate	Ikeda Corp	8.70	8.70	8.70	8.70	8.70	8.70
A	SP-75	Candellilla Wax	Strahl & Pitsch	6.40	6.40	6.40	6.40	6.40	6.40
A	Pelemol DISA	Diisostearyl Adipate	Phoenix	5.20	5.20	5.20	5.20	5.20	5.20
A	SP-422P	White Beeswax	Strahl & Pitsch	4.40	4.40	4.40	4.40	4.40	4.40
A	Pelemol HCO	Hydrogenated Castor Oil	Phoenix	4.00	4.00	4.00	4.00	4.00	4.00
A	Octyldodecyl Oliviate/Silica	6% hydrophobic gel Octyldodecyl Oleate (and) HDK-H18 Silica	Sandream/Brenntag	4.00	4.00	4.00	4.00	4.00	4.00
A	Synchrowax HRC-PA-(MH)	Tribehinin	Croda	2.50	2.50	2.50	2.50	2.50	2.50
A	Ozokerite 170	Microcrystalline Wax, Paraffin	Koster Keunen	2.30	2.30	2.30	2.30	2.30	2.30
A	Vitamin E	Vitamin E	<b>Sandream</b>	1.00	1.00	1.00	1.00	1.00	1.00
A	Foralyn 5020 FCG	Hydrogenated Rosinate	Eastman	1.00	1.00	1.00	1.00	1.00	1.00
B	Propyl Paraben	Propyl Paraben	<b>Sandream</b>	0.10	0.10	0.10	0.10	0.10	0.10
C	Mica LL3	Mica, Lauroyl Lysine	<b>Sandream</b>				5.00	4.00	4.00
D	Ecoperse White (55%)	TiO2, Octyldodecyl Oleate	<b>Sandream</b>	0.28	1.20				
D	Ecoperse Red 27 (40%)	D&C Red 27 Al Lake, Octyldodecyl Oleate	<b>Sandream</b>		2.20				
D	Ecoperse Red 6 (53%)	D&C Red 6 BaLake, Octyldodecyl Oleate	<b>Sandream</b>	0.18		5.00			
D	Ecoperse Yellow 5 (45%)	FD&C Yellow 5 Al Lake, Octyldodecyl Oleate	<b>Sandream</b>	4.54					
E	Glamour Flashy Orange G5172	Al,Ca,Na,Silicate, TiO2, SnO2, FD&C Yellow 6	<b>Sandream</b>	10.00					
E	Sachet Magenta S7154	Syn. Fluorphlogopite, TiO2, Carmine, SnO2	<b>Sandream</b>		11.60				
E	SynMira Ice ROY926	Synthetic Fluorphlogopite, Silica, TiO2, SnO2	<b>Sandream</b>			10.00			
E	Sachet Duo R-B S8254	Synthetic Fluorphlogopite, TiO2, Carmine, SnO2	<b>Sandream</b>				10.00		
E	Glamour Flashy Yellow G5152	Al,Ca,Na,Silicate, TiO2, SnO2, FD&C Yellow 5	<b>Sandream</b>					11.00	
E	Glamour Glowing Blue G8252	Al,Ca,Na,Silicate, TiO2, SnO2, Blue 1	<b>Sandream</b>						11.00
<b>TOTAL PERCENT</b>				100.00	100.00	100.00	100.00	100.00	100.00

**Procedure:** Weigh all of phase A into glass beaker and heat to 90°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add phase B and slowly mix until uniform. Add phase C to A and B and slowly mix until uniform. Mix phase D into A, B and C until completely incorporated. Lastly add phase E into remaining phases and mix until completely uniform and pigment is suspended. Pour into desired lipstick molds, let come to room temperature, freeze and demold.