



Sandream Impact
Inspiration Delivered

Formulary



Spring/Summer 2020 "Tonal Contrast"

Product Description: Contour Stick

	Trade Name	INCI Name	Supplier	Formula #
209-64B				
A	PureSyn 2	Hydrogenated Polydecene	Sandream Impact	12.55
	Floramac 10	Ethyl Macadamiate	Floratech	24.90
	Jeesilc Ps-PTVL	Phenyl Trimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer	Jeen	3.36
	Fancol ID-CG	Isododecane	Elementis	4.58
	Sansil D308	Dimethicone/Vinyl Dimethicone Crosspolymer	Sandream Impact	1.88
B	Microcrystalline Wax	Microcrystalline wax	Strahl & Pitch	3.61
	Carnauba Wax	Euphorbia Cerifera (Candelilla) Wax	Strahl & Pitch	5.94
	Synchrowax HR-C	Tribehenin	Croda	1.89
	Jeenate 5H	Polyethylene	Jeen	4.00
C	SDI TiO2 AS	Titanium Dioxide, TES	Sandream Impact	1.32
	SDI Yellow IO AS	Iron Oxides, TES	Sandream Impact	5.34
	SDI Red IO AS	Iron Oxides, TES	Sandream Impact	3.16
	SDI Black IO AS	Iron Oxides, TES	Sandream Impact	2.24
	Sanbornif 408	Boron Nitride	Sandream Impact	1.00
	PMMAH	Polymethyl Methacrylate	Brenntag	7.53
	SanSilica 307	Silica	Sandream Impact	5.67
	SanTalc 511	Talc	Sandream Impact	5.46
D	Benzophenone-3	Benzophenone-3	Sandream Impact	2.83
	Euxyl PE 9010	Phenoxyethanol, ethylglycerin	Schulke	1.37
	Vitamin E	Tocopheryl Acetate	Sandream Impact	1.37
TOTAL PERCENT				100.00

Procedure: Weigh all of phase A into glass beaker and heat to 90°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Mix phase B in a separate beaker at 95°C mix until all dissolved. Add phase B to A and continue mixing until uniform. Add C to AB while mixing with a homogenizer. Mix D in a separate beaker. Add phase D to the solution. Lower Temperature to 70°C. Pour into desired component.

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Impact LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.