



Formulary

Color Travel Pearls - Fiesta Gemini and MicaMira

Product Description: Crème Eyeshadow

| Phase | Trade Name | INCI Name | Supplier | Formula # | Formula # | Formula # |
|----------------------|----------------------|--|-----------------------|-----------|-----------|-----------|
| | | | | 211-32A | 211-32B | 211-32C |
| A | Floraester IPJ | Isopropyl Jojobate (and) Jojoba Alcohol (and) Jojoba | Floratech | 19.00 | 19.00 | 19.00 |
| | PureSyn2 | Hydrogenated Poly(C6-14 Olefin) | Sandream Impact | 6.70 | 6.70 | 6.70 |
| | Floramac 10 | Ethyl Macadamiate | Jarchem | 14.40 | 14.40 | 14.40 |
| | Permethyl 99A | Isododecane | Presperse | 5.00 | 5.00 | 5.00 |
| | Jeenate 2H | Polyethylene | Jeen | 4.89 | 4.89 | 4.89 |
| | Jeenate 5H | Polyethylene | Jeen | 4.00 | 4.00 | 4.00 |
| | SP-220 | Cetyl Esters | S&P | 2.45 | 2.45 | 2.45 |
| B | Sansil 5012 | Cyclopentasiloxane and Dimethicone Copolymer | Sandream Impact | 12.86 | 12.86 | 12.86 |
| | Vit. E Acetate | Tocopheryl Acetate | Sandream Impact | 0.20 | 0.20 | 0.20 |
| | Mica LL3 | Mica, Lauroyl Lysine | Sandream Impact | 5.00 | 5.00 | 5.00 |
| | HDK H30 (Silica) | Hydrophobic Pyrogenic Silica | Wacker Chemical Corp. | 0.50 | 0.50 | 0.50 |
| C | Fiesta Gemini ROG-25 | Synthetic Fluorophlogopite, Iron Oxides, Silica | Sandream Impact | 25.00 | | |
| | Fiesta Gemini BRO-28 | Synthetic Fluorophlogopite, Iron Oxides, Silica | Sandream Impact | | 25.00 | |
| | MicaMira YGB64 | Mica, Iron Oxides, Silica | Sandream Impact | | | 25.00 |
| TOTAL PERCENT | | | | 100.00 | 100.00 | 100.00 |

Procedure: Weigh all of phase A into glass beaker and heat to 90°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add Phase B to A with homogenizer turbulent mixing to ensure all raws are fully incorporated while still under heat. Finally, add Phase C, pearlescent pigment, to Phase A & B using propeller mixing. Pour into desired creme eyeshadow pans.

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Impact LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.